

D

C

B


A

D

C

B

A



- SIMPLICITY70**
SUCTION LIFT (SELF-PRIMING CENTRIFUGAL)
- **Performance Range:** 70 PSI @ 30 GPM to 60 PSI @ 80 GPM
 - **Power Options:**
 - 230V/1PH
 - 208V/3PH
 - 230V/3PH
 - 460V/3PH
 - **Station Start Options:**
 - Clock Start (From External 24V Signal)
 - Remote Pressure Start (From Change in System Pressure)

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	<div>munro</div> <div>REV. A TITLE: Overview</div> <div>SIZE B Job Name: Simplicity - Suction Lift</div> <div>SCALE: 1:6 SHEET 1 OF 4</div>		
DIMENSIONS ARE IN INCHES		DRAWN	ZTG			9/24/2024
TOLERANCES:		CHECKED				
FRACTIONAL ±		ENG APPR.				
ANGULAR: MACH ± BEND ± °		Q.A.				
TWO PLACE DECIMAL ±		COMMENTS:				
THREE PLACE DECIMAL ±						
INTERPRET GEOMETRIC TOLERANCING PER:						
MATERIAL						
FINISH						
BG-16						
DO NOT SCALE DRAWING						

